



January 18, 2010

Julie Newman  
Cisco Systems Inc.

Julie,

This is to confirm that the product notification per e-mail dated January 12, 2010 for:

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description
WS-C2950G-24-EI-DC	24 10/100 + 2 GBIC slots, Enhanced Image, DC version	WS-C3560V2-24TS-SD	Catalyst 3560V2 24 10/100 + 2 SFP + IPB Image + DC Power
WS-C3550-24-DC-SMI	24-10/100 + 2 GBIC ports(DC-Pwr): SMI	WS-C3560V2-24TS-SD	Catalyst 3560V2 24 10/100 + 2 SFP + IPB Image + DC Power
WS-C3560-24PS-E	Catalyst 3560 24 10/100 PoE + 2 SFP + IPS Image	WS-C3560V2-24PS-E	Catalyst 3560V2 24 10/100 PoE + 2 SFP + IPS (Enhanced) Image
WS-C3560-24PS-S	Catalyst 3560 24 10/100 PoE + 2 SFP + IPB Image	WS-C3560V2-24PS-S	Catalyst 3560V2 24 10/100 PoE + 2 SFP + IPB (Standard) Image
WS-C3560-24TS-E	Catalyst 3560 24 10/100 + 2 SFP + IPS Image	WS-C3560V2-24TS-E	Catalyst 3560V2 24 10/100 + 2 SFP + IPS (Enhanced) Image
WS-C3560-24TS-S	Catalyst 3560 24 10/100 + 2 SFP IPB Image	WS-C3560V2-24TS-S	Catalyst 3560V2 24 10/100 + 2 SFP + IPB (Standard) Image
WS-C3560-48PS-E	Catalyst 3560 48 10/100 PoE + 4 SFP IPS Image	WS-C3560V2-48PS-E	Catalyst 3560V2 48 10/100 PoE + 4 SFP + IPS (Enhanced) Image
WS-C3560-48PS-S	Catalyst 3560 48 10/100 PoE + 4 SFP IPB Image	WS-C3560V2-48PS-S	Catalyst 3560V2 48 10/100 PoE + 4 SFP + IPB (Standard) Image
WS-C3560-48TS-E	Catalyst 3560 48 10/100 + 4 SFP IPS Image	WS-C3560V2-48TS-E	Catalyst 3560V2 48 10/100 + 4 SFP + IPS (Enhanced) Image
WS-C3560-48TS-S	Catalyst 3560 48 10/100 + 4 SFP IPB Image	WS-C3560V2-48TS-S	Catalyst 3560V2 48 10/100 + 4 SFP + IPB (Standard) Image
WS-C3750-24PS-E	Catalyst 3750 24 10/100 PoE + 2 SFP + IPS Image	WS-C3750V2-24PS-E	Catalyst 3750V2 24 10/100 PoE + 2 SFP Enhanced Image
WS-C3750-24PS-S	Catalyst 3750 24 10/100 PoE + 2 SFP + IPB Image	WS-C3750V2-24PS-S	Catalyst 3750V2 24 10/100 PoE + 2 SFP Standard Image

WS-C3750-24TS-E	Catalyst 3750 24 10/100 + 2 SFP + IPS Image		WS-C3750V2-24TS-E	Catalyst 3750V2 24 10/100 + 2 SFP Enhanced Image
WS-C3750-24TS-S	Catalyst 3750 24 10/100 + 2 SFP + IPB Image		WS-C3750V2-24TS-S	Catalyst 3750V2 24 10/100 + 2 SFP Standard Image
WS-C3750-48PS-E	Catalyst 3750 48 10/100 PoE + 4 SFP + IPS Image		WS-C3750V2-48PS-E	Catalyst 3750V2 48 10/100 PoE + 4 SFP Enhanced Image
WS-C3750-48PS-S	Catalyst 3750 48 10/100 PoE + 4 SFP + IPB Image		WS-C3750V2-48PS-S	Catalyst 3750V2 48 10/100 PoE + 4 SFP Standard Image
WS-C3750-48TS-E	Catalyst 3750 48 10/100 + 4 SFP + IPS Image		WS-C3750V2-48TS-E	Catalyst 3750V2 48 10/100 + 4 SFP Enhanced Image
WS-C3750-48TS-S	Catalyst 3750 48 10/100 + 4 SFP + IPB Image		WS-C3750V2-48TS-S	Catalyst 3750V2 48 10/100 + 4 SFP Standard Image
WS-SUP720	Catalyst 6500/Cisco 7600 Supervisor 720 Fabric MSFC3 PFC3A	→ <b>OR</b>	VS-S720-10G-3C	Cat 6500 Supervisor 720 with 2 ports 10GbE and MSFC3 PFC3C
			VS-S720-10G-3CXL	Cat 6500 Supervisor 720 with 2 ports 10GbE MSFC3 PFC3C XL
			WS-SUP720-3B	Catalyst 6500/Cisco 7600 Supervisor 720 Fabric MSFC3 PFC3B
			WS-SUP720-3BXL	Catalyst 6500/Cisco 7600 Supervisor 720 Fabric MSFC3 PFC3BXL
WS-SUP720=	Catalyst 6500/Cisco 7600 Supervisor 720 Fabric MSFC3 PFC3A	→ <b>OR</b>	VS-S720-10G-3C=	Cat 6500 Supervisor 720 with 2 ports 10GbE MSFC3 PFC3C
			VS-S720-10G-3CXL=	Cat 6500 Supervisor 720 with 2 ports 10GbE MSFC3 PFC3CXL
			WS-SUP720-3B=	Catalyst 6500/Cisco 7600 Supervisor 720 Fabric MSFC3 PFC3B
			WS-SUP720-3BXL=	Catalyst 6500/Cisco 7600 Supervisor 720 Fabric MSFC3 PFC3BXL
WS-F6700-DFC3A	Catalyst 6500 Dist Fwd Card for WS-X67xx modules	→ <b>OR</b>	WS-F6700-DFC3B	Catalyst 6500 Dist Fwd Card, 256K Routes for WS-X67xx
			WS-F6700-DFC3BXL	Catalyst 6500 Dist Fwd Card-3BXL for WS-X67xx
			WS-F6700-DFC3C	Catalyst 6500 Dist Fwd Card, 256K Routes for WS-X67xx
			WS-F6700-DFC3CXL	Catalyst 6500 Dist Fwd Card-3CXL for WS-X67xx
WS-F6700-DFC3A=	Catalyst 6500 Dist	→	WS-F6700-DFC3B=	Catalyst 6500 Dist Fwd

	Fwd Card for WS-X67xx modules	<b>OR</b>		Card, 256K Routes for WS-X67xx
			WS-F6700-DFC3BXL=	Catalyst 6500 Dist Fwd Card-3BXL for WS-X67xx
			WS-F6700-DFC3C=	Catalyst 6500 Dist Fwd Card, 256K Routes for WS-X67xx
			WS-F6700-DFC3CXL=	Catalyst 6500 Dist Fwd Card-3CXL for WS-X67xx

This is determined to be an acceptable substitution when used for eligible purposes.

You may provide applicants with a copy of this letter. Including this letter as attachments to request for payment will speed up the approval process.

Please do not hesitate to contact me if further clarification of this letter is required. I can be reached by phone, e-mail or write me at "SLD, P. O. Box 685-Correspondence Unit, 30 Lanidex Plaza, Parsippany, NJ 07054-0685."

Thank you for cooperation and continued support of the Universal Service Program.

Sincerely,

Service Substitutions  
Schools & Libraries Division